

## Chandelier Lift: **Specifications**

- **Model A200 (max chandelier weight = 200 lbs)**

- Equipment dimensions / weight: (14"W x 19"L x 9"H) / 49 lbs
- On/off: Key switch on wall
- Standard max *chandelier* wattage: 1650W
- Standard winch cable length: 35 feet
- Standard wire length from key switch (on wall) to lift equipment: 50 feet

**Price:** \$695 each with FREE shipping in U.S. (except AK,HI)

---

- **Model A300 (max chandelier weight = 300 lbs)**

- Equipment dimensions / weight: (14"W x 19"L x 9"H) / 49 lbs
- On/off: Key switch on wall
- Standard max *chandelier* wattage: 1650W
- Standard winch cable length: 35 feet
- Standard wire length from key switch (on wall) to lift equipment: 50 feet

**Price:** \$790 each with FREE shipping in U.S. (except AK,HI)

---

- **Model A700 (max chandelier weight = 700 lbs)**

- Equipment dimensions / weight: (18"W x 28"L x 9"H) / 110 lbs
- On/off: Programmable controller on wall
- Standard max *chandelier* wattage: 2200W
- Standard winch cable length: 35 feet
- Standard wire length from controller (on wall) to lift equipment: 50 feet

**Price:** \$1230 each with FREE shipping in U.S. (except AK,HI)

---

- **Model A1000 (max chandelier weight = 1000 lbs)**

- Equipment dimensions / weight: (18"W x 28"L x 9"H) / 110 lbs
- On/off: Programmable controller on wall
- Standard max *chandelier* wattage: 2200W
- Standard winch cable length: 35 feet
- Standard wire length from controller (on wall) to lift equipment: 50 feet

**Price:** \$2020 each with FREE shipping in U.S. (except AK,HI)

## Chandelier Lift: **Options**

- Some options may be required for your installation
- Lift requires a minimum 3 foot vertical access space above where chandelier is to be installed. If less than this – will require *Remote Mount* installation option (see below).

---

- **Wattage Upgrade (cannot be added after manufacture)**

For chandeliers with above standard 1650 wattage and/or circuit requirements

- **2200W & 1 circuit (standard on A700/A1000):** \$80 upcharge

**Price:** \$80 upcharge

- 
- **3300W & 2 circuits (1650W per circuit; requires separate 'electrical phases' due to 2 hot wires + 1 shared neutral wire)**

**Price:** \$120 upcharge

---

- **Increase Key Switch/Controller Wire**

If total wire distance from key switch/wall controller to lift equipment is more than 50' – option increases wire length to 100' from key switch/wall controller to lift equipment

**Price:** \$35 upcharge

---

- **Increase winch cable length (cannot add after shipment)**

Standard winch cable length is 35'

**Price:** Call for custom quote

---

- **Sloped Ceiling Adapter**

If ceiling is sloped where chandelier is hanging

**Price:** \$80 upcharge

---

- **Re-lamping Cord (only fits candelabra (E-12) base sockets)**

Chandelier defaults to "off" when lowered for safety reasons - option allows chandelier to be lighted when lowered

**Price:** \$65 upcharge

---

**(Continued on next page)**

## Chandelier Lift: Options

(Continued from previous page)

- 
- **Programmable controller on wall (standard on A700/A1000)**  
Lift takes approx. 15 minutes to lower (while turning/holding the key switch) - option allows you to pre-set the lowering height and not have to stay and turn/hold the key switch while lowering  
**Price:** \$100 upcharge

---

  - **Remote Mount Kit (cannot add after shipment)**  
If lift equipment cannot be installed *directly* over the chandelier - this is required for a remote/off-to-the-side installation (supplied with 25' of wire and 65' of winch cable)  
**Price:** \$150 upcharge

---

  - **Directional Pulley(s) (cannot add after shipment)**  
**Note: Can only be ordered with Remote Mount Kit above**  
If cable requires any directional changes, one or more pulleys are required - forward us a rough sketch and we will determine the number of pulleys  
**Price:** \$75 upcharge/pulley
-